

- 4-0504 Speed Limitations Inapplicable to Whom - Liability of Exempt Driver for Reckless Driving
- 4-0505 Minimum Speed Limits
- 4-0506 Regulations of Speed by Traffic Signals
- 4-0507 Exhibition Driving and Drag Racing - Definitions - Penalty
- 4-0508 Radar Evidence in Speed Violations
- 4-0509 Care Required in Operating Vehicle

4-0501. Basic Rule. The provisions of NDCC 39-09-01 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

No person shall drive a vehicle at a speed greater than is reasonable and prudent under the conditions and having regard to the actual and potential hazards then existing. Consistent with the foregoing, every person shall drive at a safe and appropriate speed when approaching and crossing an intersection or railroad grade crossing, when approaching and going around a curve, when approaching a hill crest, when traveling upon any narrow or winding roadway, and when special hazards exist with respect to pedestrians or other traffic or by reason of weather or highway conditions. Any person who shall drive a vehicle upon a highway or private or public property open to and the public for the operation of motor vehicles without heed to the requirements or restrictions of this section shall have committed careless driving, and shall be assessed a fee of thirty dollars.

4-0502. Speed Limitations. The provisions of NDCC 39-09-02 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

Subject to the provisions of 4-0501 and except in those instances where a lower speed is specified in this chapter, it presumably shall be lawful for the driver of a vehicle to drive the same at a speed not exceeding:

1. Twenty miles an hour when approaching within fifty feet of a grade crossing of any steam, electric, or street railway when the driver's view is obstructed. A driver's view shall be deemed to be obstructed when at any time during the last two hundred feet of his approach to such crossing he does not have a clear and uninterrupted view of such railway crossing and of any traffic on such railway for a distance of four hundred feet in each direction from such crossing;
2. REVISED Twenty miles an hour when passing a school during school recess or while children are going to or leaving school during opening or closing hours;
3. Twenty miles an hour when approaching within fifty feet and in traversing an intersection of highways when the driver's view is obstructed. A driver's view shall be deemed to be obstructed when at any time during the last fifty feet of his approach to such intersection, he does not have a clear and uninterrupted view of such intersection and of the traffic upon all of the highways entering such intersection for a distance of two hundred feet from such intersection;
4. Twenty miles an hour when the driver's view of the highway ahead is obstructed within a distance of one hundred feet;
5. Twenty-five miles an hour on any highway in a business district or in a residence district or in a public park, unless a different speed limit is designated and posted by local authorities; and
6. Fifty-five miles an hour under other circumstances, unless otherwise permitted, restricted, or required by conditions.

- a. The highway commissioner may designate and post special areas of state highways where lower speed limits shall apply.
- b. Except as provided by law, it shall be unlawful for any person to drive a vehicle upon a highway at a speed that is unsafe or at a speed exceeding the speed limit prescribed by law or established pursuant to law.
- c. In charging a violation of the provisions of this section, the complaint shall specify the speed at which the defendant is alleged to have driven and the speed which this section prescribes shall be prima facie lawful at the time and place of the alleged offense.

4-0503. When Local Authorities May or Shall Alter Maximum Speed - Limits - Signs Posted. The provisions of NDCC 39-09-03 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. Whenever the city, on the basis of an engineering and traffic investigation, determines that the maximum speed permitted under this title is greater or less than is reasonable and safe under the conditions found to exist upon a highway or part of a highway, the city may determine and declare a reasonable and safe maximum limit thereon which:
 - a. Decreases the limit at intersections;
 - b. Increase the limit within an urban district but not to more than fifty-five miles per hour; or
 - c. Decreases the limit outside an urban district, but not to less than thirty-five miles per hour.
2. The city shall determine, by an engineering and traffic investigation, the proper maximum speed for arterial streets and shall declare a reasonable and safe maximum speed permitted under this chapter for an urban district.
3. Any altered limit established as hereinabove authorized shall be effective at all times or during hours of darkness or at other times as may be determined when appropriate signs giving notice thereof are erected upon such street or highway.
4. Any alteration of maximum limits on state highways or extensions thereof in the municipality shall not be effective until such alteration has been approved by the state highway commissioner.
5. Not more than six such alterations as hereinabove authorized shall be made per mile along a street or highway except in the case of reduced limits at intersections, and the difference between adjacent limits shall not be more than ten miles [16.09 kilometers] per hour.

4-0504. Speed Limitations Inapplicable to Whom - Liability of Exempt Driver for Reckless Driving. The provisions of NDCC 39-09-06 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The speed limitations provided for in this article shall not apply to Class A authorized emergency vehicles. The exceptions provided for in this section shall not protect the driver of any such vehicle from the consequences of a reckless disregard of the safety of others.

4-0505. Minimum Speed Limits. The provisions of NDCC 39-09-09 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. No person shall drive a motor vehicle at such a slow speed as to impede the normal and reasonable movement of traffic except when reduced speed is necessary for safe operation or in compliance with law.
2. Whenever the state highway commissioner and the superintendent of the highway patrol, acting jointly, or the city, determine on the basis of engineering and traffic investigation that slow speeds on any highway or part of a highway impede the normal and reasonable movement of traffic, the commissioner and superintendent or the city may determine and declare a minimum speed limit below which no person shall drive a vehicle except when necessary for safe operation or in compliance with law, and that limit shall be effective when posted upon appropriate fixed or variable signs.

4-0506. Regulations of Speed by Traffic Signals. The city traffic engineer or authorized person may regulate the timing of traffic signals so as to permit the movement of traffic in an orderly and safe manner at speeds slightly at variance from the speeds otherwise applicable within the district or at intersections and shall erect appropriate signs giving notice thereof.

4-0507. Exhibition Driving and Drag Racing - Definitions - Penalty. The provisions of NDCC 39-08-03.1 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

- REMOVED
1. No person shall engage in exhibition driving of any vehicle on a highway, street, alley, sidewalk, or any public or private parking lot or area, nor shall any person engage in a race, a speed competition, drag race or acceleration contest, test or physical endurance, or exhibition of speed or acceleration. Any person who violates this section shall be assessed a fee of forty dollars.
 2. As used in this section:
 - a. "Drag race" means the operation of two or more vehicles from a point side-by-side by accelerating rapidly in a competitive attempt to cause one vehicle to outdistance the other; or the operation of one or more vehicles over a common selected course from the same point to vehicles within a certain distance or time limit.
 - b. "Exhibition driving" means driving a vehicle in a manner which disturbs the peace by creating or causing unnecessary engine noise, tire squeal, skid, or slide upon acceleration or braking; or driving and executing or attempting one or a series of unnecessarily abrupt turns.
 - c. "Race" means the use of one or more vehicles in an attempt to outgain, outdistance, or to arrive at a given distance ahead of another vehicle or vehicles; or the use of one or more vehicles to willfully prevent another vehicle from passing the racing vehicle or vehicles, or to test the physical stamina or endurance of the persons driving the vehicles over a long distance driving route.
 3. Noting in this section shall be construed as prohibiting drag racing, exhibition driving, or similar events when carried out in an organized manner on a track or other privately owned area specifically set aside and used solely for such purposes by drivers of motor vehicles, including snowmobiles.

4-0508. Radar Evidence in Speed Violations. The provisions of NDCC 39-03-15 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The speed of any motor vehicle may be checked by the use of radio microwaves or other electrical device. The results of such checks shall be accepted as prima facie evidence of the speed of such motor vehicle in any court or legal proceedings where the speed of the motor vehicle is at issue. The driver of any such motor vehicle may be arrested without a warrant under this section, provided the arresting officer is in uniform or displays his badge of authority; provided that such officer has observed the record of the speed of such motor vehicle by the radio microwaves or other electrical device, or has received a radio message from the officer who observed the speed of the motor vehicle recorded by the radio microwaves or other electrical device.

4-0509. Care Required in Operating Vehicle. The provisions of NDCC 39-09-01.1 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

Any person driving a vehicle upon a highway shall drive the vehicle in a careful and prudent manner, having due regard to the traffic, surface, and width of the highway and other conditions then existing, and shall give such warnings as are reasonably necessary for safe operation under the circumstances. No person may drive any vehicle upon a highway in a manner to endanger the life, limb, or property of any person.

CHAPTER 4-06 TURNING MOVEMENTS

Section

- 4-0601 Authority to Place Device Altering Normal Course for Turns
- 4-0602 Authority to Place Restricted Turn Signs
- 4-0603 Turning Signs - Obedience To
- 4-0604 Required Position and Method of Turning at Intersections
- 4-0605 Vehicle Turning Left at Intersection
- 4-0606 Limitations on Turning Around
- 4-0607 Turning Movements and Required Signals
- 4-0608 Signals by Hand and Arm or Signal Lamps
- 4-0609 Methods of Giving Hand-and-Arm Signals

4-0601. Authority to Place Device Altering Normal Course for Turns. The city traffic engineer or other authorized person may place official traffic-control devices within or adjacent to intersections indicating the course to be traveled by vehicles turning at such intersections, and such course to be traveled as so indicated may conform to or be other than as prescribed by law.

4-0602. Authority to Place Restricted Turn Signs. The city traffic engineer or other authorized person may determine those intersections at which drivers of vehicles shall not make a right, left, or U turn, and shall place proper signs at such intersections. The making of such turns may be prohibited between certain hours of any day and permitted at other hours, in which event the same shall be plainly indicated on the signs or they may be removed when such turns are permitted.

4-0603. Turning Signs - Obedience To. Whenever authorized signs are erected indicating that no right or left or U turn is permitted, no driver of a vehicle shall disobey the directions of any such sign.

4-0604. Required Position and Method of Turning at Intersections. The provisions of NDCC 39-10-35 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The driver of a vehicle intending to turn at an intersection shall do so as follows:

1. Right turns. Both the approach for a right turn and a right turn shall be made as close as practicable to the right-hand curb or edge of the roadway;
2. Left turns on two-way roadways. At any intersection where traffic is permitted to move in both directions on each roadway entering the intersection, an approach for a left turn shall be made in that portion of the right half of the roadway nearest the center line thereof and by passing to the right of such center line where it enters the intersection and after entering the intersection, the left turn shall be made so as to leave the intersection to the right of the center line of the roadway being entered. Whenever practicable, the left turn shall be made in that portion of the intersection to the left of the center of the intersection;
3. Left turns on other than two-way roadways. At any intersection where traffic is restricted to one direction on one or more of the roadways, the driver of a vehicle intending to turn left at any such intersection shall approach the intersection in the extreme left-hand lane lawfully available to traffic moving in the direction of travel of such vehicle and after entering the intersection, the left turn shall be made so as to leave the intersection, as nearly as practicable, in the left-hand lane lawfully available to traffic moving in such direction upon the roadway being entered, and;
4. The city may cause markers, buttons, or signs to be placed within or adjacent to intersections and thereby require and direct that a different course from that specified in this section be traveled by vehicles turning at an intersection, and when markers, buttons, or signs are so placed, no driver of a vehicle shall turn a vehicle at an intersection other than as directed and required by such markers, buttons, or signs.

4-0605. Vehicle Turning Left at Intersection. The provision of NDCC 39-10-23 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The driver of a vehicle intending to turn to the left within an intersection or into an alley, private road, or driveway shall yield the right of way to any vehicle approaching from the opposite direction which is within the intersection or so close thereto as to constitute an immediate hazard.

4-0606. Limitations on Turning Around. The provision of NDCC 39-10-36 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

- REVISED
1. The driver of any vehicle shall not turn such vehicle so as to proceed in the opposite direction unless such movement can be made in safety and without interfering with other traffic.
 2. No vehicle shall be turned so as to proceed in the opposite direction upon any curve, or upon the approach to or near the crest of a grade, where such vehicle cannot be seen by the driver of any other vehicle approaching from either direction within five hundred feet.

4-0607. Turning Movements and Required Signals. The provisions of NDCC 39-10-38 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. No person shall turn a vehicle at an intersection unless the vehicle is in proper position upon the roadway as required in 4-0604 or turn a vehicle to enter a private road or driveway, or otherwise turn a vehicle from a direct course or move right or left upon a roadway unless and until such movement can be made with reasonable safety. No person shall so turn any vehicle without giving an appropriate signal in the manner hereinafter provided in the event any other traffic may be affected by such movement;
2. A signal of intention to turn right or left when required shall be given continuously during not less than the last one hundred feet traveled by the vehicle before turning;
3. No person shall stop or suddenly decrease the speed of a vehicle without first giving an appropriate signal in the manner provided herein to the driver of any vehicle immediately to the rear when there is opportunity to give such signal, and;
4. The signals required on vehicles by subsection 2 of 4-0608 shall not be flashed on one side only on a disabled vehicle, flashed as a courtesy or "do pass" signal to operators of other vehicles approaching from the rear, nor be flashed on one side only of a parked vehicle except as may be necessary for compliance with this section.

4-0608. Signals by Hand and Arm or Signal Lamps. The provisions of NDCC 39-10-39 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. Any stop or turn signal when required herein shall be given either by means of the hand and arm or by signal lamps, except as otherwise provided in subsection 2 of this section.
2. Any motor vehicle in use on a highway shall be equipped with, and required signals shall be given by, signal lamps when the distance from the center of the top of the steering post to the left outside limit of the body, cab, or load of such motor vehicle exceeds twenty-four inches, or when the distance from the center of the top of the steering post to the rear limit of the body or load thereof exceeds fourteen feet. The latter measurement shall apply to any single vehicle and to any combination of vehicles.

4-0609. Methods of Giving Hand-and-Arm Signals. The provisions of NDCC 39-10-40 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

All signals herein required given by hand and arm shall be given from the left side of vehicle in the following manner and such signals shall indicate as follows:

1. Left turn: hand and arm extended horizontally;
2. Right turn: hand and arm extended upward;
3. Stop or decrease speed: hand and arm extended downward.

CHAPTER 4-07
ONE-WAY STREETS AND ALLEYS

Section

4-0701 Authority to Sign One-Way Streets and Alleys

4-0701. Authority to Sign One-Way Streets and Alleys. The city traffic engineer or authorized person may determine and designate one-way streets or alleys and shall place and maintain official traffic control devices giving notice thereof. No such designation shall be effective unless such devices are in place.

CHAPTER 4-08
STOP AND YIELD INTERSECTIONS

Section

4-0801 Stop Signs and Yield Signs

4-0802 Stop Signs and Yield Signs

4-0803 Emerging from Alley, Driveway, Private Road, or Building

4-0804 Obedience to Signal Indicating Approach of Train

4-0805 All Vehicles Must Stop at Certain Railroad Grade Crossings

4-0806 Certain Vehicles Must Stop at all Railroad Grade Crossings

4-0801. Stop Signs and Yield Signs. The provisions of NDCC 39-10-44 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. Preferential right of way at an intersection may be indicated by stop signs or yield signs.
2. Every stop sign and every yield sign shall be erected as near as practicable to the nearest line of the crosswalk on the near side of the intersection or, if there is no crosswalk, then as near as practicable to the nearest line of the intersecting roadway.
3. Every stop sign shall bear the word "STOP" in letters not less than eight inches in height. Every yield sign shall bear the word "YIELD" in letters not less than six inches in height.

Every stop sign and every yield sign shall at nighttime be rendered luminous by internal illumination, or by a light projected on the face of the sign or by efficient reflecting elements in the face of the sign.

4. Except when directed to proceed by a police officer or traffic-control signal, every driver of a vehicle approaching a stop intersection indicated by a stop sign shall stop before entering the crosswalk on the near side of the intersection or, in the event there is no crosswalk, shall stop at a clearly marked stop line, but if none, then at the point nearest the intersecting roadway where the driver has a view of approaching traffic on the intersecting roadway.
5. The driver of a vehicle approaching a yield sign if required for safety to stop shall stop before entering the crosswalk on the near side of the intersection or, in the event there is no crosswalk, at a clearly marked stop line, but if none, then at the point nearest the intersecting roadway where the driver has a view of approaching traffic on the intersecting roadway.

4-0802. Stop Signs and Yield Signs. The provisions of NDCC 39-10-24 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. Preferential right of way may be indicated by stop signs or yield signs.
2. Except when directed to proceed by a police officer, every driver of a vehicle approaching a stop sign shall stop at a clearly marked stop line, or, if none, then at the point of approaching traffic on the intersecting roadway before entering it. After having stopped, the driver shall yield the right of way to any vehicle in the intersection or approaching on another roadway so closely as to constitute an immediate hazard during the time when such driver is moving across or within the intersection or junction of roadways.
3. The driver of a vehicle approaching a yield sign shall in obedience to such sign slow down to a speed reasonable for the existing conditions and, if required for safety to stop, shall stop at a clearly marked stop line, or, if none, then at a point nearest the intersecting roadway where the driver has a view of approaching traffic on the intersecting roadway before entering it. After slowing or stopping, the driver shall yield the right of way to any vehicle in the intersection or approaching on another roadway so closely as to constitute an immediate hazard during the time such driver is moving across or within the intersection or junction of roadways. Provided, however, that if a driver is involved in a collision with a vehicle in the intersection or junction of roadways after driving past a yield sign without stopping, such collision shall be deemed prima facie evidence of his failure to yield the right of way.

4-0803. Emerging from Alley, Driveway, Private Road, or Building. The provisions of NDCC 39-10-45 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The driver of a vehicle emerging from an alley, driveway, private road, or building within a business or residence district shall stop such vehicle immediately prior to driving onto a sidewalk or onto the sidewalk area extending across such alley, building entrance, road, or driveway, or in the event there is no sidewalk area, shall stop at the point of approaching traffic thereon.

4-0804. Obedience to Signal Indicating Approach of Train. The provisions of NDCC 39-10-41 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. Whenever any person driving a vehicle approaches a railroad grade crossing under any of the circumstances stated in this section, the driver of such vehicle shall stop within fifty feet but not less than fifteen feet from the nearest rail of such railroad, and shall not proceed until he can do so safely. The foregoing requirements shall apply when:
 - a. A clearly visible electric or mechanical signal device gives warning of the immediate approach of a train;
 - b. A crossing gate is lowered or when a human flagman gives or continues to give a signal of the approach or passage of a railroad train;
 - c. A railroad train approaching within approximately one thousand three hundred and twenty feet of the highway crossing emits a signal audible from such distance and such railroad train, by reason of its speed or nearness to such crossing, is an immediate hazard; or
 - d. An approaching railroad train is plainly visible and is in hazardous proximity to such crossing.
2. No person shall drive any vehicle through, around, or under any crossing

gate or barrier at a railroad crossing while such gate or barrier is closed or is being opened or closed. No person shall drive any vehicle past any human flagman at a railroad crossing until the flagman signals that the way is clear to proceed.

4-0805. All Vehicles Must Stop at Certain Railroad Grade Crossings. The provisions of NDCC 39-10-42 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The state highway department and the city, with respect to highways under their respective jurisdiction, are hereby authorized to designate particularly dangerous highway grade crossings of railroads and to erect stop signs thereat. When such stop signs are erected, the driver of any vehicle shall stop within fifty feet but not less than fifteen feet from the nearest rail of such railroad and shall proceed only upon exercising due care.

4-0806. Certain Vehicles Must Stop at all Railroad Grade Crossings. The provisions of NDCC 39-10-43 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. The driver of a bus carrying passengers, or of any school bus carrying any school child, or of any vehicle carrying any chlorine, empty or loaded cargo tank vehicles used to transport dangerous articles or any liquid having a flashpoint below two hundred degrees Fahrenheit, cargo tank vehicles transporting a commodity having a temperature above its flashpoint at the time of loading, certain cargo tank vehicles transporting commodities under special permits issued by the hazardous materials regulations board, and every motor vehicle which must have the following placards: "explosives", "poison", "flammable oxidizers", "compressed gas", "corrosives", "flammable gas", "radioactive", or "dangerous", before crossing at grade any track or tracks of a railroad shall stop such vehicle within fifty feet but not less than fifteen feet from the nearest rail of such railroad and while so stopped shall listen and look in both directions along such track for any approaching train, and for signals indicating the approach of a train and shall not proceed until he can do so safely. After stopping as required herein and upon proceeding when it is safe to do so, the driver of any said vehicle shall cross only in such gear of the vehicle that there will be no necessity for manually changing gears while traversing such crossing and the driver shall not manually shift gears while crossing the track or tracks.
2. No stop need be made at any such crossing at which traffic is controlled by a police officer. For the purpose of this section, a United States marshal shall be considered a police officer.

CHAPTER 4-09 MISCELLANEOUS DRIVING RULES

Section

- 4-0901 When Traffic Obstructed
- 4-0902 Driving Through Funeral or Other Procession
- 4-0903 Drivers in a Procession
- 4-0904 Funeral Processions to be Identified
- 4-0905 When Permits Required for Parades and Processions
- 4-0906 Drive on Right Side of Roadway-Exceptions
- 4-0907 Passing Vehicles Proceeding in Opposite Directions
- 4-0908 Overtaking a Vehicle on the Left
- 4-0909 When Overtaking on the Right is Permitted
- 4-0910 Limitations on Overtaking on the Left
- 4-0911 Further Limitations on Driving on Left of Center of Roadway

- 4-0912 No-Passing Zones
- 4-0913 Driving on Roadways Laned for Traffic
- 4-0914 Following Too Closely
- 4-0915 Driving on Divided Highways
- 4-0916 Restricted Access
- 4-0917 Restrictions on Use of Controlled-Access Roadway
- 4-0918 Vehicle Entering Roadway
- 4-0919 Vehicle Approaching or Entering Intersection
- 4-0920 Overtaking and Passing School Bus
- 4-0921 Unattended Motor Vehicle
- 4-0922 Limitations on Backing
- 4-0923 Obstruction to Driver's View or Driving Mechanism
- 4-0924 Opening and Closing Vehicle Doors
- 4-0925 Coasting Prohibited
- 4-0926 Following Fire Apparatus Prohibited
- 4-0927 Crossing Fire Hose
- 4-0928 Garbage, Glass, etc., on Highways Prohibited
- 4-0929 Driving Through Safety Zone Prohibited
- 4-0930 Moving Heavy Equipment at Railroad Grade Crossing
- 4-0931 Alteration of Odometers or Other Mileage Recorders, Hour Meters on Tachometers or Other Hour Recorders-Penalty
- 4-0932 Open Bottle Law-Penalty
- 4-0933 Permitting Unauthorized Minor to Drive
- 4-0934 Permitting Unauthorized Person to Drive
- 4-0935 Driving Upon Sidewalk

4-0901. When Traffic Obstructed. No driver shall enter an intersection or a marked crosswalk unless there is sufficient space on the other side of the intersection or crosswalk to accommodate the vehicle he is operating without obstructing the passage of other vehicles or pedestrians, notwithstanding any traffic control signal indication to proceed.

4-0902. Driving Through Funeral or Other Procession. No driver of a vehicle (or motorman of a streetcar) shall drive between the vehicles comprising a funeral or other authorized procession while they are in motion and when such vehicles are conspicuously designated as required in this ordinance. This provision shall not apply at intersections where traffic is controlled by traffic-control signals or police officers.

4-0903. Drivers in a Procession. Each driver in a funeral or other procession shall drive as near to the right-hand edge of the roadway as practicable and shall follow the vehicle ahead as close as is practicable and safe.

4-0904. Funeral Processions to be Identified. A funeral composed of a procession of vehicles shall be identified as such by headlights burning in daylight hours on all vehicles in the procession, or by such other methods as may be determined and designated by the Chief of Police.

4-0905. When Permits Required for Parades and Processions. No funeral, procession, or parade containing (200) or more persons or (50) or more vehicles except the Armed Forces of the United States, the military forces of this state and the forces of the police and fire departments, shall occupy, march or proceed along any street except in accordance with a permit issued by the Chief of Police and such other regulations as are set forth herein which may apply.

4-0906. Drive on Right Side of Roadway-Exceptions. The provisions of NDCC 39-10-08 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. Upon all roadways of sufficient width, a vehicle shall be driven upon the right half of the roadway, except as follows:
 - a. When overtaking and passing another vehicle proceeding in the same direction under the rules governing such movement;
 - b. When an obstruction exists making it necessary to drive to the left of the center of the highway, provided any person so doing shall yield the right of way to all vehicles traveling in the proper direction upon the unobstructed portion of the highway within such distance as to constitute an immediate hazard;
 - c. Upon a roadway divided into three marked lanes for traffic under the rules applicable thereon; or
 - d. Upon a roadway restricted to one-way traffic.
2. Upon all roadways, any vehicle proceeding at less than the normal speed of traffic at the time and place and under the conditions then existing shall be driven in the right-hand lane when available for traffic, or as close as practicable to the right-hand curb or edge of the roadway, except when overtaking and passing another vehicle proceeding in the same direction or when preparing for a left turn in an intersection or into a private road or driveway.
3. Upon any roadway having four or more lanes for moving traffic and providing for two-way movement of traffic, no vehicle shall be driven to the left of the center line of the roadway, except when authorized by official traffic-control devices designating certain lanes to the left side of the center of the roadway for use by traffic not otherwise permitted to use such lanes, or except as permitted under subdivisions b of subsection 1 hereof. However, this subsection shall not be construed as prohibiting the crossing of the center line in making a left turn into or from an alley, private road, or driveway.

4-0907. Passing Vehicles Proceeding in Opposite Directions. The provisions of NDCC 39-10-09 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

Drivers of vehicles proceeding in opposite directions shall pass each other to the right, and upon roadways having width for not more than one line of traffic in each direction each driver shall give to the other at least one-half of the main-traveled portion of the roadway as nearly as possible.

4-0908. Overtaking a Vehicle on the Left. The provisions of NDCC 39-10-11 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The following rules shall govern the overtaking and passing of vehicles proceeding in the same direction, subject to those limitations, exceptions, and special rules hereinafter stated;

1. The driver of a vehicle overtaking another vehicle proceeding in the same direction shall pass to the left thereof at a safe distance and shall not again drive to the right side of the roadway until safely clear of the overtaken vehicle.
2. Except when overtaking and passing on the right is permitted, the driver of an overtaken vehicle shall give way to the right in favor of the overtaking vehicle an audible signal and shall not increase the speed of his vehicle until completely passed by the overtaking vehicle.

4-0909. When Overtaking on the Right is Permitted. The provisions of NDCC 39-10-12 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. The driver of a vehicle may overtake and pass upon the right of another vehicle only under the following conditions:
 - a. When the vehicle overtaken is making or about to make a left turn; or
 - b. Upon a roadway with unobstructed pavement of sufficient width for two or more lines of vehicles moving lawfully in the direction being traveled by the overtaking vehicle.
2. The driver of a vehicle may overtake and pass another vehicle upon the right only under conditions permitting such movement in safety. Such movement shall not be made by driving off the roadway.

4-0910. Limitations on Overtaking on the Left. The provisions of NDCC 39-10-13 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

No vehicle shall be driven to the left side of the center of the roadway in overtaking and passing another vehicle proceeding in the same direction unless such left side is clearly visible and is free of oncoming traffic for a sufficient distance ahead to permit such overtaking and passing to be completely made without interfering with the operation of any vehicle approaching from the opposite direction or any vehicle overtaken. In every event, the overtaking vehicle must return to an authorized lane of travel as soon as practicable, and in the event the passing movement involves the use of a lane authorized for vehicles approaching from the opposite direction, before coming within two hundred feet of any approaching vehicle.

4-0911. Further Limitations on Driving on Left of Center of Roadway. The provisions of NDCC 39-10-14 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. No vehicle shall be driven to the left side of the roadway under the following conditions:
 - a. When approaching or upon the crest of a grade or a curve in the highway where the driver's view is obstructed within such distance as to create a hazard in the event another vehicle might approach from the opposite direction;
 - b. When approaching within one hundred feet of or traversing any intersection or railroad grade crossing, or
 - c. When the view is obstructed upon approaching within one hundred feet of any bridge, viaduct, or tunnel.
2. The foregoing limitations shall not apply upon a one-way roadway, nor under the conditions described in 4-0906 nor to the driver of a vehicle turning left into or from an alley, private road, or driveway.

4-0912. No-Passing Zones. The provisions of NDCC 39-10-15 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. The state highway commissioner and local authorities are hereby authorized to determine those portions of any highway under their respective jurisdiction where overtaking and passing or driving on the left side of the

roadway would be especially hazardous and may be appropriate signs or markings on the roadway indicate the beginning and end of such zones and when such signs or markings are in place and clearly visible to an ordinarily observant person, every driver of a vehicle shall obey the directions thereof.

2. Where signs or markings are in place to define a no-passing zone as set forth in subsection 1, no driver shall at any time drive on the left side of the roadway with such no-passing zone or on the left side of any pavement striping designed to mark such no-passing zone throughout its length.
3. This section does not apply under the conditions described in 4-0906 nor to the driver of a vehicle turning left into or from an alley, private road, or driveway.

4-0913. Driving on Roadways Laned for Traffic. The provisions of NDCC 39-10-17 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

Whenever any roadway has been divided into two or more clearly marked lanes for traffic, the following rules in addition to all others consistent herewith shall apply:

1. A vehicle shall be driven as nearly as practicable entirely within a single lane and shall not be moved from such lane until the driver has first ascertained that such movement can be made with safety.
2. Upon a roadway which is divided into three lanes and provides for two-way traffic, a vehicle shall not be driven in the center lane except when overtaking and passing another vehicle traveling in the same direction when such center lane is clear of traffic within a safe distance, or in preparation for making a left turn or where such center lane is at the time allocated exclusively to traffic moving in the same direction that the vehicle is proceeding and such allocation is designated by official traffic-control devices.
3. Official traffic-control devices may be erected directing specified traffic to use a designated lane or designating those lanes to be used by traffic moving in a particular direction regardless of the center of the roadway and drivers of vehicles shall obey the directions of every such device.
4. Official traffic-control devices may be installed prohibiting the changing of lanes on section of roadway and drivers of vehicles shall obey the directions of every such device.

4-0914. Following Too Closely. The provisions of NDCC 39-10-18 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. The driver of a motor vehicle shall not follow another vehicle more closely than is reasonable and prudent, having due regard to the speed of such vehicles and the traffic upon and the condition of the highway;
2. The driver of any truck or motor vehicle drawing another vehicle when traveling upon a roadway outside of a business or residence district and which is following another truck or motor vehicle drawing another vehicle shall, whenever conditions permit, leave sufficient space so that an overtaking vehicle may enter and occupy such space without danger, except

that this shall not prevent a truck or motor vehicle drawing another vehicle from overtaking and passing any vehicle or combination of vehicles; and

3. Motor vehicles being driven upon any roadway outside of a business or residence district in a caravan or motorcade whether or not towing other vehicles shall be so operated as to allow sufficient space between each such vehicle or combination of vehicles so as to enable any other vehicle to enter and occupy such space without danger. This provision shall not apply to funeral processions.

4-0915. Driving on Divided Highways. The provisions of NDCC 39-10-19 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

Whenever any highway has been divided into two or more roadways by leaving an intervening space or by a physical barrier or clearly indicated dividing section so constructed as to impede vehicular traffic, every vehicle shall be driven only upon the right-hand roadway, unless directed or permitted to use another roadway by official traffic-control devices or police officers. No vehicle shall be driven over, across, or within any such dividing space, barrier, or section, except through an opening in such physical barrier or dividing section or space at a crossover or intersection as established by public authority, unless such crossing is specifically prohibited and such prohibition is indicated by appropriate traffic-control devices.

4-0916. Restricted Access. The provisions of NDCC 39-10-20 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

No person shall drive a vehicle onto or from any controlled-access roadway except at such entrances and exits as are established by public authority.

4-0917. Restrictions on Use of Controlled-Access Roadway. The provisions of NDCC 39-10-21 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The commissioner may by order, and the city may by ordinance, with respect to any controlled-access roadway under their respective jurisdictions, prohibit the use of any such roadway by any class or kind of traffic which is found incompatible with the normal and safe movement of traffic.

The state highway commissioner or the city, as the case may be, shall erect and maintain official signs on the controlled-access roadway on which such regulations are applicable and when so erected, no person shall disobey the restrictions stated on such signs.

4-0918. Vehicle Entering Roadway. The provisions of NDCC 39-10-25 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

The driver of a vehicle about to enter or cross a roadway from any place other than another roadway shall yield the right of way to all vehicles approaching on the roadway to be entered or crossed.

4-0919. Vehicle Approaching or Entering Intersection. The provisions of NDCC 39-10-22 and all subsequent amendments shall be and are hereby incorporated by reference in this ordinance.

1. When two vehicles approach or enter an intersection from different high-